## **SmartFridge**

### scanomat


The SmartFridge from Scanomat brings a wealth of upgrades to the delivery and handling of milk for TopBrewer.

The new SmartFridge is easier to both install and specify, as it fits into all standard depth cabinets (600mm).

Filling and handling milk is easier than ever, with a quick fill system right from the front without the need to take out the 9-litre canister.

Thanks to our quick-connect technology, the entire canister can be removed quickly and replaced with a clean container if needed.

SmartFridge has a built-in low-milk sensor detecting the milk level before you run out. The milk is temperature safe with SmartFridge, controlled by an IR sensor that actively measures the temperature of the milk and adjusts the fridge accordingly.



#### **Specifications**

Total Volume	13 I
Net Weight	15,5 kg
Power Supply	208-240V 50/60Hz
Milk Capacity	9 I (2x 4,5 I)
Unit Dimensions (WxHxD)	230x390x530mm
Internal Dimensions (WxHxD)	173x277x278mm
Reversible door	Yes
Refrigiant*	R600a



<sup>11/2022</sup> 

# SmartFridge



Filling and handling milk is easier than ever, with a quick refill system without the need to take out the 9-litre canister.




### **Temperature control**

SmartFridge, controlled by an IR sensor that actively measures the temperature of the milk and adjusts the fridge accordingly.

### Dual or Single Milk Choice

Choose the dual opion for a wider choice at your fingertips



### Capacitive Level Sensor

With the built-in low-milk sensor the SmartFridge is constantly measuring the milk level with its infrared sensor.

Before the fridge runs out of milk a notification will be shown on the iPad.